

Compatible Printers

Canon imagePROGRAF PRO Series

| Printer model | Max. media width | License | ScreenDot proof |
|-----------------|-------------------|---------|-----------------|
| PRO-1000, 500 | 420 x 594 mm (A2) | Small | - |
| PRO-2000, 520 | 610 mm (24") | Medium | - |
| PRO-2100, 521 | 610 mm (24") | Medium | - |
| PRO-4000, 540 | 1118 mm (44") | Large | - |
| PRO-4000S, 540S | 1118 mm (44") | Large | Yes |
| PRO-4100, 541 | 1118 mm (44") | Large | - |
| PRO-4100S, 541S | 1118 mm (44") | Large | - |
| PRO-6000, 560 | 1524 mm (60") | Large | - |
| PRO-6100, 561 | 1524 mm (60") | Large | - |
| PRO-6000S, 560S | 1524 mm (60") | Large | Yes |
| PRO-6100S, 561S | 1524 mm (60") | Large | - |

Canon imagePROGRAF GP Serie

| Printer model | Max. media width | License | ScreenDot proof |
|----------------------|-------------------------|----------------|------------------------|
| GP-2000, GP-520 | 610 mm (24") | Medium | - |
| GP-4000, GP-540 | 1118 mm (44") | Large | - |

Canon imagePROGRAF iPF Series

| Printer model | Max. media width | License | ScreenDot proof |
|----------------------|-------------------------|----------------|------------------------|
| iPF9400S, 9410S | 1524 mm (60") | Large | Yes |
| iPF9400, 9410 | | | Yes 1 |
| iPF9100 | | | |
| iPF9000S | | | |
| iPF9000 | | | |
| iPF8400S, 8410S | 1118 mm (44") | Large | Yes |
| iPF8400, 8410 | | | Yes 1 |
| iPF8300S, 8310S | | | |
| iPF8300, 8310 | 1118 mm (44") | Large | |
| iPF8100 | | | |
| iPF8000S | | | |
| iPF8000 | | | |
| iPF6400S, 6410S | 610 mm (24") | Medium | Yes |
| iPF6450, 6460 | | | Yes 1 |
| iPF6400, 6410 | | | |
| iPF6300S | 610 mm (24") | Medium | Yes 1 |
| iPF6350, 6300, 6310 | | | |
| iPF6200 | | | |
| iPF6100 | | | |
| iPF6000S | | | |

| | | | |
|-----------------------|---------------|--------|---|
| iPF5100 | 432 mm (17") | Small | |
| iPF5000 | | | |
| iPF810, 820 | 1118 mm (44") | Large | - |
| iPF750, 755, 760, 765 | 914 mm (36") | Large | - |
| iPF650, 655 | | | |
| iPF700, 720, 710 | 914 mm (36") | Large | - |
| iPF600, 605, 610 | 610 mm (24") | Medium | - |
| iPF500, 510 | 432 mm (17") | Small | - |

Canon imagePROGRAF W Series

| Printer model | Max. media width | License | ScreenDot proof |
|----------------------|-------------------------|----------------|------------------------|
| W8400PG | 1118 mm (44") | Large | Yes |
| W8400 | | | - |
| W6400PG | 610 mm (24") | Medium | Yes |
| W6400 | | | - |

Epson SureColor Series

| Printer model | Max. media width | License | ScreenDot proof |
|--|-------------------------|----------------|------------------------|
| SureColor SC-P20000, P20050, P20070, P20080 | 1620 mm (64") | Large | Yes |
| SureColor SC-P10000, P10050, P10070, P10080 | 1118 mm (44") | Large | Yes |
| SureColor SC-P9000, P9050, P9070, P9080 | | | |
| SureColor SC-P8000, P8050, P8070, P8080 | | | |
| SureColor SC-P7000, P7050, P7070, P7080 | 610 mm (24") | Medium | Yes |
| SureColor SC-P6000, P6050, P6070, P6080 | | | |
| SureColor SC-P5000, P5050, P5070, P5080 | 432 mm (17") A2 | Small | Yes |
| SureColor SC-P7500 | 610 mm (24") | Medium | Yes |
| SureColor SC-P9500 | 1118 mm (44") | Large | Yes |
| SureColor SC-S40600, S60600(L) | 1626 mm (64") | Large | - |
| SureColor SC-T5400, T3400 | 914 mm (36") | Large | - |
| SureColor SC-T7000, T7000D, T7050, T7050D, T7070, T7070D, T7080, T7080D | 1118 mm (44") | Large | Yes |
| SureColor SC-T7200, T7200D, T7250, T7250D, | | | |

| | | |
|--|--------------|--------|
| T7270, T7270D, T7280, | 914 mm (36") | Large |
| SureColor SC-T5000, T5000D, T5050, T5050D, T5070, T5070D, T5080, T5080D | | |
| SureColor SC-T5200, T5200D, T5250, T5250D, T5270, T5270D, T5280, T5280D | 610 mm (24") | Medium |
| SureColor SC-T3000, T3050, T3070, T3080 | | |
| SureColor SC-T3200, T3250, T3270, T3280 | | |

Epson Stylus Pro (Maxart) Series

| Printer model | Max. media width | License | ScreenDot proof |
|---|-------------------------|----------------|------------------------|
| Stylus Pro 11880, 11880, Maxart PX-20000 | 1626 mm (64") | Large | Yes 2 |
| Stylus Pro 10600CF | B0+ | Large | Yes |
| Stylus Pro 10600Dye | 1118 mm (44") | | |
| Stylus Pro 10600UC, Maxart PX-10000 | | | |
| Stylus Pro 9900, 9910, Maxart PX-H10000 | B0+ 1118 mm (44") | Large | Yes |
| Stylus Pro 9890, 9908, Maxart PX-H9000 | 1118 mm (44") | Large | Yes |
| Stylus Pro 9880, 9880C, Maxart PX-9550/9500N | B0+ 1118 mm (44") | Large | Yes 2 |
| Stylus Pro 9800, Maxart PX-9500 | B0+ 1118 mm (44") | Large | |
| Stylus Pro 9700, 9710, Maxart PX-F10000 | B0+ 1118 mm (44") | Large | Yes |
| Stylus Pro 9600, Maxart PX-9000 | B0+ 1118 mm (44") | Large | Yes |
| Stylus Pro 9600 Dye, Maxart PX-9000 | B0+ 1118 mm (44") | Large | |
| Stylus Pro 9450, Maxart PX-9550S | B0+ 1118 mm (44") | Large | Yes 2 |
| Stylus Pro 9400, PX- 9500S | | | |

| | | | |
|--|---------------------|--------|-------|
| Stylus Pro WT7900, WT7910, Maxart PX-W8000 | A1+ 610 mm (24") | Medium | Yes |
| Stylus Pro 7900, 7910, Maxart PX-H8000 | A1+ 610 mm (24") | Medium | Yes |
| Stylus Pro 7890, 7908, Maxart PX-H7000 | 610 mm (24") | Medium | Yes |
| Stylus Pro 7880, 7880C, Maxart PX-7550/7500N | A1+ 610 mm (24") | Medium | Yes 2 |
| Stylus Pro 7800, Maxart PX-7500 | | | |
| Stylus Pro 7700, 7710, Maxart PX-F8000 | A1+ 610 (24") | Medium | Yes |
| Stylus Pro 7600, Maxart PX-7000 | A1+ 610 mm (24") | Medium | Yes |
| Stylus Pro 7600 Dye, PX-7000 | | | |
| Stylus Pro 7450, Maxart PX-7550S | A1+ 610 mm (24") | Medium | Yes 2 |
| Stylus Pro 7400, Maxart PX-7500S | | | |
| Stylus Pro 4900, 4910, Maxart PX-H6000 | A2 (17") | Small | Yes |
| Stylus Pro 4880, 4880C, Maxart PX-6550 | A2 431 mm (17") | Small | Yes 2 |
| Stylus Pro 4800, Maxart PX-6500 | | | |
| | A2 | Small | Yes 2 |

| | | | |
|--|--------------------|-------|---|
| Stylus Pro 4450, Maxart PX-6250S | 431 mm (17") | | |
| Stylus Pro 4400, Maxart PX-6200S | | | |
| Stylus Pro 4000, Maxart PX-6000 | | | |
| Stylus Pro 3880, 3890, 3885, Maxart PX-5002 | 431 mm (17") | Small | - |
| Stylus Pro 3800, 3800C, 3850, Maxart PX-5800 | 420 x 594 mm A2 | Small | - |

HP

1 Only if operated with 8 colors (without RGB).

2 Dot proofing with 1440 x 1440 dpi requires firmware version A0276B or higher.

3 Dot proofing only supported if operated with 7 colors (not with 4 colors).

4 Only if operated with 8 colors (without RGB).